

L Number	Hits	Search Text	DB	Time stamp
6	2	("5065364" "5095461").PN.	USPAT	2004/08/04 12:49
8	78	kobayashi.in. and 365/230.03,63,51,185.11.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 12:50
9	145	kobayashi.in. and 365/230.03,63,51,185.11,200,201,230.06,51.c	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 12:51
10	8	kobayashi.in. and 365/230.03,63,51,185.11,200,201,230.06,51.c and (three with row\$1) same (three with column\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 12:52
28	47	365/230.03,63,51,185.11.ccls. and array\$1 and block\$1 and segment\$1 and (control\$4 or (SA and WD)) and (nine with bit\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:17
66	55	(memory with array\$1) and (three adj row\$1) and (three adj column\$1) and (control with circuit) and (input and output) and (nine or "9") near (bit\$1 or column\$1 or data\$1 or value\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:24
-	282	365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1) and (control\$3 with signal\$1) and ((MDL or (data adj line\$1)) or (multiple\$1 with nine with bit\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/11 14:13
-	656	365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/11 13:39
-	373	365/230.03,63,51,185.11.ccls. and ((SA or (sense adj amplifier)) and (WD or (write adj driver)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/11 13:40
-	106	(365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1)) and (365/230.03,63,51,185.11.ccls. and ((SA or (sense adj amplifier)) and (WD or (write adj driver))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 13:36
-	1	((365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1)) and (365/230.03,63,51,185.11.ccls. and ((SA or (sense adj amplifier)) and (WD or (write adj driver))))) and (MDL or (data adj line\$1) or (multiple\$1 with nine with bit\$1)) and sa same activat\$4 same arrays	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/11 13:42
-	81	((365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1)) and (365/230.03,63,51,185.11.ccls. and ((SA or (sense adj amplifier)) and (WD or (write adj driver))))) and (MDL or (data adj line\$1) or (multiple\$1 with nine with bit\$1)) and activat\$3 and bit\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/11 14:02

-	31	((365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1)) and (365/230.03,63,51,185.11.ccls. and ((SA or (sense adj amplifier)) and (WD or (write adj driver))))) and (MDL or (data adj line\$1) or (multiple\$1 with bit\$1)) and activat\$3 and block\$1 and segment\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 12:50
-	282	365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1) and (control\$3 with signal\$1) and (MDL or (data adj line\$1) or (multiple\$1 with nine with bit\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/11 14:13
-	53	(365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1) and (control\$3 with signal\$1) and (MDL or (data adj line\$1) or (multiple\$1 with nine with bit\$1))) and (array\$1 with block\$1 and segment\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/11 14:14
-	321	"53" and (multiples near3 bit\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/11 14:15
-	53	((365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1) and (control\$3 with signal\$1) and (MDL or (data adj line\$1) or (multiple\$1 with nine with bit\$1))) and (array\$1 with block\$1 and segment\$1)) and bit\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/11 14:15
-	44	((365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1) and (control\$3 with signal\$1) and (MDL or (data adj line\$1) or (multiple\$1 with nine with bit\$1))) and (array\$1 with block\$1 and segment\$1)) and (number with bit\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/11 14:16
-	977	array\$1 same block\$1 same segment\$1 and ((control\$4 with signal) or (SA and WD)) and bit\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 12:54
-	113	365/230.03,63,51,185.11.ccls. and array\$1 same block\$1 same segment\$1 and ((control\$4 with signal) or (SA and WD)) and bit\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 12:56
-	58	365/230.03,63,51,185.11.ccls. and array\$1 with block\$1 with segment\$1 and ((control\$4 with signal) or (SA and WD)) and bit\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 12:56
-	83	((365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1)) and (365/230.03,63,51,185.11.ccls. and ((SA or (sense adj amplifier)) and (WD or (write adj driver))))) and (MDL or (data adj line\$1) or (multiple\$1 with nine with bit\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 13:06
-	31	((365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1)) and (control\$4 with signal) same (((SA or (sense adj amplifier)) and (WD or (write adj driver))))) and (MDL or (data adj line\$1) or (multiple\$1 with nine with bit\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 13:07

-	81	((365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1)) and (365/230.03,63,51,185.11.ccls. and ((SA or (sense adj amplifier)) and (WD or (write adj driver)))) and (MDL or (data adj line\$1) or (multiple\$1 with nine with bit\$1)) and activat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 14:32
-	3	((365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1)) and (365/230.03,63,51,185.11.ccls. and ((SA or (sense adj amplifier)) and (WD or (write adj driver)))) and (MDL or (data adj line\$1) or (multiple\$1 with nine with bit\$1)) and activat\$3 and (three with column) and (three with row)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 13:24
-	579	365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1) and row and column	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 13:30
-	490	(365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1) and row and column) and ((control\$4 with signal) or (SA or (sense adj amplifier) same (WD or (write adj driver))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 13:33
-	227	((365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1) and row and column) and ((control\$4 with signal) or (SA or (sense adj amplifier) same (WD or (write adj driver))))) and (MDL or (data adj line\$1)) and bit\$1 and activat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 13:35
-	3	((365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1) and row and column) and ((control\$4 with signal) or (SA or (sense adj amplifier) same (WD or (write adj driver))))) and (MDL or (data adj line\$1)) and bit\$1 and activat\$3 and (quantity with bit\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 13:35
-	20	(365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1)) and (365/230.03,63,51,185.11.ccls. and ((SA or (sense adj amplifier)) and (WD or (write adj driver)))) and (nine with bit\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 13:40
-	3	365/230.03,63,51,185.11.ccls. and (array\$1 or semiconductor) with ("input/output" with configuration) and (nine with bit\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 13:43
-	37	365/230.03,63,51,185.11.ccls. and (array\$1 with block\$1) and segment\$1 and (control\$4 or (SA and WD)) and (nine with bit\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 13:49
-	10	365/230.03,63,51,185.11.ccls. and (array\$1 with block\$1) with segment\$1 and (control\$4 or (SA and WD)) and (nine with bit\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 13:53
-	21	365/\$.ccls. and (array\$1 with block\$1) with segment\$1 and (control\$4 or (SA and WD)) and (nine with bit\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 13:55

-	2	array\$1 and block\$1 and segment\$1 and (SA and WD) and (nine with bit\$1) and input and output	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 14:00
-	1	array\$1 same block\$1 same segment\$1 and (SA and WD) and (nine with bit\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 14:02
-	15	array\$1 and block\$1 and (segment\$1 or section) and (SA and WD) and (nine with bit\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 14:05
-	653	array\$1 and block\$1 and (segment\$1 or section) and (SA or (sense with amplifier\$1)) and (nine with bit\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 14:05
-	56	array\$1 same block\$1 same (segment\$1 or section) and ((SA and WD) or ((sense with amplifier\$1) and (write with driver))) and (nine with bit\$1) and (MDL or (data with line\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 14:07
-	40	365/\$.ccls. and array\$1 same block\$1 same (segment\$1 or section) and ((SA and WD) or ((sense with amplifier\$1) and (write with driver))) and (nine with bit\$1) and (MDL or (data with line\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 14:36
-	19	((365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1)) and (365/230.03,63,51,185.11.ccls. and ((SA or (sense adj amplifier)) and (WD or (write adj driver))))) and (MDL or (data adj line\$1) or (multiple\$1 with nine with bit\$1)) and activat\$3 and (nine with bit\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 14:35
-	81	((365/230.03,63,51,185.11.ccls. and (array\$1 with even) and (array\$1 with block\$1)) and (365/230.03,63,51,185.11.ccls. and control\$4 and ((SA or (sense adj amplifier)) and (WD or (write adj driver))))) and (MDL or (data adj line\$1) or (multiple\$1 with nine with bit\$1)) and activat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 14:36
-	40	365/\$.ccls. and array\$1 same block\$1 same (segment\$1 or section) and ((SA and WD) or ((sense with amplifier\$1) and (write with driver))) and (nine with bit\$1) and (MDL or (data with line\$1)) AND input and output	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 14:37
-	21	365/230.03,63,51,185.11.ccls. and array\$1 same block\$1 same (segment\$1 or section) and ((SA and WD) or ((sense with amplifier\$1) and (write with driver))) and (nine with bit\$1) and (MDL or (data with line\$1)) and input and output	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/12 14:39
-	53388	(nine or "9") near (bit\$1 or column\$1 or data\$1 or value\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 12:04
-	2176	(control with circuit) same (nine or "9") near (bit\$1 or column\$1 or data\$1 or value\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 12:06

-	1258	(control with circuit) same (input or output) same (nine or "9") near (bit\$1 or column\$1 or data\$1 or value\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 12:07
-	27	365/230.03,206,207,185.03,185.11.ccls. and (control with circuit) same (input and output) same ((nine or "9") near (bit\$1 or column\$1 or data\$1 or value\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 12:23
-	103	365/\$.ccls. and (control with circuit) same (input and output) same (nine or "9") near (bit\$1 or column\$1 or data\$1 or value\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 12:37
-	13	365/\$.ccls. and (memory with array\$1) same (memory with block\$1) same (control with circuit) same (input and output) same (nine or "9") near (bit\$1 or column\$1 or data\$1 or value\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 12:37
-	30	365/\$.ccls. and (memory with array\$1) and (three adj row\$1) and (three adj column\$1) and (control with circuit) and (input and output) and (nine or "9") near (bit\$1 or column\$1 or data\$1 or value\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 12:42
-	2	365/230.03,206,207,185.03,185.11.ccls. and (memory with array\$1) and (three adj row\$1) and (three adj column\$1) and (control with circuit) and (input and output) and (nine or "9") near (bit\$1 or column\$1 or data\$1 or value\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 12:44
-	2	(memory with array\$1) same (three adj row\$1) same (three adj column\$1) and (control with circuit) and (input and output) and (nine or "9") near (bit\$1 or column\$1 or data\$1 or value\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 12:49